

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> September 28, 2015	<b>Name of Inspector:</b> Michael Hickey
<b>Inspection Type:</b> Routine Inspection	
<b>Licensee:</b> Chartwell Master Care Corporation / 100 Milverton Drive, Mississauga, ON L5R 4H1 (the "Licensee")	
<b>Retirement Home:</b> Chartwell Tranquility Place Retirement Residence / 436 Powerline Road, Brantford, ON N3T 6G5 (the "home")	
<b>Licence Number:</b> S0057	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with O. Reg. 166/11, s. 11; Posted information.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>11. (1)</b> For the purposes of paragraph 4 of subsection 55 (2) of the Act, the following information is prescribed as information that must be posted in a retirement home under that subsection:</p> <p>3. An explanation of the procedures to be followed in the case of an evacuation.</p>
<p><b>Inspection Finding</b></p> <p>The Licensee failed to post as prescribed, an explanation of the procedures to be followed in the case of an evacuation.</p>
<p><b>Outcome</b></p> <p>Corrective action scheduled to be taken by the Licensee by November 2, 2015.</p>
<p><b>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>24. (4)</b> The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p>

**24. (5)** The licensee shall,

- (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,
  - (ii) situations involving a missing resident,
  - (iv) violent outbursts;
- (c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

**25. (2)** The licensee shall ensure that the development of the emergency plan includes,

- (a) consultation with the relevant community agencies, partner facilities and resources that will be involved in responding to an emergency;
- (b) identification of hazards and risks that may give rise to an emergency affecting the home, whether the hazards and risks arise within the home or in the surrounding vicinity or community, and strategies to address those hazards and risks.

**25. (5)** The licensee shall ensure that the emergency plan for the retirement home is evaluated and updated at least annually and that the updating includes contact information for the relevant community agencies, partner facilities and resources that will be involved in responding to an emergency.

**Inspection Finding**

The Licensee failed to prepare a prescribed emergency plan and keep records demonstrating compliance with the regulation.

**Outcome**

Corrective action scheduled to be taken by the Licensee by November 2, 2015.

- 3. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.  
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Additional training for direct care staff.  
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.  
The Licensee failed to comply with O. Reg. 166/11, s. 55; Contents of records.**

Specifically, the Licensee failed to comply with the following subsection(s):

- 65. (2)** Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,
- (a) the Residents’ Bill of Rights;
  - (b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
  - (c) the protection afforded for whistle-blowing described in section 115;
  - (d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

**65. (5)** The licensee shall ensure that all staff who provide care services to residents receive training in the following matters and at the times required by the regulations, as a condition of continuing to have contact with residents, in addition to the other training that they are required to receive under this section:

3. Behaviour management.

**14. (1)** For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

**55. (5)** A licensee of a retirement home shall keep records proving compliance with the Act and this Regulation in relation to,

(c) the skills, qualifications and training of the staff who work in the home;

**Inspection Finding**

The Licensee failed to keep records demonstrating that all staff who work in the home received the prescribed training.

**Outcome**

Corrective action scheduled to be taken by the Licensee by November 9, 2015.

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date October 29, 2015
---	--------------------------